

Application No.: 10/659,237
Response Dated June 28, 2007
Reply to Notice of June 21, 2007

MTS-3302US1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appln. No.: 10/659,237
Applicant: Yasuhiro Mori
Filed: September 10, 2003
Title: VITAL SIGNS DETECTION SYSTEM, VITAL SIGNS DETECTION METHOD,
VITAL SIGNS PROCESSING APPARATUS, AND HEALTH CONTROL METHOD
TC/A.U.: 3736
Examiner: Mohamed Mahmoud Ahmed
Confirmation No.: 3510
Docket No.: MTS-3302US1

RESPONSE TO NON-COMPLIANT AMENDMENT (37 CFR 1.121)

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:


This communication is being filed responsive to the Notice of Non-Compliant Amendment dated June 21, 2007.

The Notice indicates that claims 7-51 of the above-identified application are missing.

Applicant's representative reviewed the image file wrapper in public PAIR and found that claims 7-51 have been erroneously scanned as an "Applicant Argument/Remarks" document. Thus, all claims were received by the USPTO. The error occurred when the claims were scanned incorrectly into the IFW.

A photocopy of the previously filed amendment is enclosed. Entry of the amendment is respectfully requested.

Respectfully transmitted,



Lawrence E. Ashery, Reg. No. 34,515
Attorney for Applicant

LEA/dmw
Attachment: Copy/Amendment filed 06/08/07

Dated: June 28, 2007

167432